



## Product Catalog

Wechat



Whatsapp



Bands | | Clamping Hardware



沧州鸿鹄电气制造有限公司  
CANGZHOU HONGHU ELECTRICAL MANUFACTURING CO.,LTD  
Phone: +8613503272331

Whatsapp: +8613503272331  
E-mail: alvine@emtcabletray.com

## Quality, excellence and performance!



Cangzhou HongHu is an China manufacturer of high-quality stainless steel hardware. Taking the expertise of 15+ years of experience from CangZhou HongHu China, undisputed China market leader and global exporter, the Southeast Asia facility has started in 2022.

CangZhou HongHu product line complies with the technical specification, standards, and sizes of a wide range of industries, including telecommunications, shipbuilding, energy, construction, automobile, cable TV, internet, and signaling.

We seek to improve the quality of our processes and products continuously.

At CangZhou HongHu, we focus on our clients' satisfaction, processes sustainability, keeping an eye in the tradition that has positioned our company as a quality benchmarking.





# EASY TO USE



**Step1** Cut an appropriate length of the strap.



**Step2** Wrap the strap around the pipe.



**Step3** Drill in screws to secure the pipe.




**Step4** Installation complete.

## PRODUCT SIZE




## PRODUCT SIZE



## All Purpose Perforated Band and Perforated Band

- Evenly spaced holes allow fastening with screws or nuts and bolts.
- Available uncoated or coated in polyester, epoxy or nylon 11.
- Easy to install with common hand tools.



Material*	Width/Wides 1 point)		Width/narrowest point)		Thickness		Hole's Inside Diameter		Hole center distance		Length/m	Surface Treatment
	Inches	mm	Inches	mm	Inches	mm	Inches	mm	Inches	mm		
Pre-galvanized steel SS 201 SS 304 SS 316	0.47	12	0.29	7.4	0.02-0.04	0.5-1	0.2	5	0.57	14.5	10	Powder coated Plastic dipping
	0.67	17	0.41	10.4	0.02-0.04	0.5-1	0.276	7	0.79	20	10	
	0.98	25	0.78	19.8	0.02-0.04	0.5-1	0.39	10	0.98	25	10	

Technology requirement:

1.Part to be free from burrs

2.General tolerance according to ISO 2768-m

\* Manufactured in SS 201, SS 304, SS 316 or galvanized carbon steel.

\*\* Length may be customized according to client's needs.

Note 1: The bands can be coated with polyester,epoxy, nylon 11 or heat-shrinkable.

Note 2: The bands coated with heat-shrinkable can have up to 32.8'.





	Inner carton packaging picture reference		Outer carton packaging picture reference
Bulk packaging		+	
Paper packaging		+	
Plastic packaging		+	

